

Applicant 05/03/04 RA

| | | | |
|---|------------------------|---------------------|--|
| Examiner-Initiated Interview Summary | Application No. | Applicant(s) | |
| | 09/856,766 | NICK ET AL. | |
| | Examiner | Art Unit | |
| | Ramin (Ray) Akhavan | 1636 | |

All Participants:

Status of Application: _____

(1) Ramin (Ray) Akhavan.

(3) _____

(2) Jane Remillard (applicant's representative).

(4) _____

Date of Interview: 20 April 2004

Time: 13:00

Type of Interview:

- ☒ Telephonic
☐ Video Conference
☐ Personal (Copy given to: ☐ Applicant ☐ Applicant's representative)

Exhibit Shown or Demonstrated: ☐ Yes ☒ No

If Yes, provide a brief description:

Part I.

Rejection(s) discussed:

Claims discussed:

16, 19, 20 and 24

Prior art documents discussed:

Part II.


SUBSTANCE OF INTERVIEW DESCRIBING THE GENERAL NATURE OF WHAT WAS DISCUSSED:

See Continuation Sheet

Part III.

- ☒ It is not necessary for applicant to provide a separate record of the substance of the interview, since the interview directly resulted in the allowance of the application. The examiner will provide a written summary of the substance of the interview in the Notice of Allowability.
☐ It is not necessary for applicant to provide a separate record of the substance of the interview, since the interview did not result in resolution of all issues. A brief summary by the examiner appears in Part II above.


(Examiner/SPE Signature)


Primary Examiner
A.U. 1636

(Applicant/Applicant's Representative Signature – if appropriate)

Continuation of Substance of Interview including description of the general nature of what was discussed: Discussed approval for examiner's amendment to the claims and specification. It was agreed that in claim 19, the term "stimulus" would be replaced by the term "mediator". In claim 20, the term "compound" would be replaced by "mediator". In claim 24, dependance would change from 22 to claim 16.. In the specification, a hyperlink would be replaced; reference would be made to the provisional application in the first line of the specification; and sequence identifiers would be added to the description of drawings for Figure 5..